AUTHOR INDEX

Abell, J. S., 153
Aliyev, O. M., L53
Auffermann, G., 163

Baranowski, B., 347
Bastide, J.-P., L51
Batko, I., L17
Bauer, J., 239
Beales, T. P., 35
Bluhm, K., 339
Boehlke, A., L33, 311
Bomba, C., 169
Brändle, H., 287
Bronger, W., 163, 169
Brooks, M. S. S., 207

Cadogan, J. M., L45
Chen, B., L11
Chermette, H., 105
Chuang, Y. C., 41
Claudy, P., L51

Day, R. K., L45
Dommann, A., 287
Doyle, M., 35
Dragieva, I., 295
Dunlop, J. B., L45

El Khatib, N., 105
Engel, G., 123
Eriksson, O., 207

Farny, J., 347
Ferro, R., L37, L41
Feschotte, P., 89
Filipek, S. M., 177, 347
Filipov, V. M., L17
Finstad, T. G., 251
Fischer, P., 287
Fischer, U., 123
Flachbart, K., L17
Foley, C. P., L45
Franzen, H. F., L9, L11
Fuger, J., 99
Fujita, T., 59

Gietl, A., 137, L21
Girgis, K., 319, L41
Goldstone, J. A., 267
Grossinger, R., 41
Gruehn, R., 275

Haire, R. G., 99
Halet, J.-F., 239
Harris, I. R., 35, 153, 359
Hoppe, R., 327
Hulliger, F., 287

Jadhav, S. R., 199
Ji, C., 191
Johansson, B., 207
Johnson, G. W., 51
Jones, D. G. R., 153
Jones, D. W., 35
Jurczyk, M., 117

Kim, S.-J., L9
Kirchmayr, H. R., 41
Kissel, J., 327
Klement, U., L21, L27
Konovalova, E. S., L17
Krupa, J. C., 105

van Landuyt, J., 301
Lange, K. G., 137, L21
Lawson, A. C., 267
Lazaridou, V., 1
Lønsjø, O., 251

Majchrzak, S., 177
Marazza, R., L37
Marquart, T., L9
McGuiness, P. J., 153, 359
Mekhtiyeva, S. A., L53
Mevs, H., 147
Miskuf, J., L17
Moosa, I. S., 51
Muller, G., 71
Müller-Buschbaum, Hk., 147, 311, 339, L33

Nakagawa, M., 301
Nasar, A., 131
Niihara, K., 59

Norman, N., 251
Novikov, V. N., 15
Nutting, J., 51

Olsen, C. E., 267

Paderno, Ju. B., L17
Panzer, B., L27
Patil, S. A., 199
Perlepes, S. P., 1
Peterson, J. R., 99
Petzow, G., 71
Presland, A. H., 35

Rabkin, E. I., 23
Range, K.-J., 137, L21, L27
Rossi, D., L37
Rusev, Kr., 295

Saba, M. A., 221
Sadigov, F. M., L53
Saillard, J.-Y., 239
Salomonsen, G., 251
Sawant, S. R., 199
Schmidt, G., 275
Schulze, K., 71
Selvam, P., L1
Severing, A., 267
Shamsuddin, M., 131
Shvindlerman, L. S., 23
Simoni, E., 105
Song, L., 81
Srinivasan, V., L1
Stakebake, J. L., 221
Stanimirova, M., 295
Straumal, B. B., 23
Suganuma, K., 59
Sun, X. K., 41
Suryavanshi, S. S., 199
Szafranski, A. W., 177
Szustakowski, M., 347

Tahri, Y., 105
van Tendeloo, G., 301
Tsangaris, J. M., 1

Udoh, K.-I., 301

© Elsevier Sequoia/Printed in The Netherlands

Viswanathan, B., L1

Walz, L., 339
Wang, C. H., 319
Ward, J. W., 267
Warsza, M., 177
Williams, A., 267
Wilmarth, W. R., 99
Woryna, W., 347
Wu, F., 81

Xi, Z., 191

Yasuda, K., 301
Yin, X. J., 359
Yvon, K., 89

Zafiropoulos, Th. F., 1
Zanicchi, G., L37
Zhang, X. J., 359
Zhao, M., 81
Zhou, G. F., 41
Zhou, W., 81

SUBJECT INDEX

Actinides
calculated cohesive properties of lanthanide and lanthanide-like actinide elements, 207
Alloys
magnetic properties of $Nd_2Fe_{14-x-y}Re_xCo_yB$ alloys, 117
order–disorder transitions in Pd:Ce_x alloys at high hydrostatic pressures, 35
Aluminium
neutron diffraction determination of the Debye temperature of $TmGa_{2-x}Al_x$ alloys ($x = 0, 0.5, 1.75$), 319
preparation of ductile Nb–Al powders for the fabrication of Nd_3Al superconductors. II, 71
Antimony
Sb_2Se_3–Sm_2Se_4 and $SmSb_4Se_7$–$SmSb_2Se_6$ systems, L53
synthetic variant of Hulsit type: $Ni_{5.33}Sb_{0.67}B_2O_{10}$, 339
Apatite
crystal structure of $Na_3Pb_2(BeF_4)_3F$, a fluoroberyllate with apatite structure, 123
Atmospheric carbon dioxide
influence of atmospheric CO_2 on the surface properties of Mg_2NiH_4 and a comparison with some hydrogen storage alloys, L1

Barium
Ba_2CuO_2I: a compound with a new structure type and a communication on Ba_2CuO_2Br with Ba_2CuO_2Cl structure, 311
new compounds with $Ba_6Ln_2M_4^{3+}O_{15}$ stoichiometry: $Ba_6Nd_2Fe_4O_{15}$, $Ba_5SrLa_2Fe_4O_{15}$ and $Ba_5SrNd_2Fe_4O_{15}$, 147
study of $Ba_2CuO_2Br_{0.5}I_{0.5}$, L33
Beryllium
crystal structure of beryllium-dilithium dihydridodichloride $Li_2BeCl_2H_2$, L51
crystal structure of $Na_3Pb_2(BeF_4)_3F$, a fluoroberyllate with apatite structure, 123
Borocarbides
electronic structure of the new rare earth borocarbide Sc_2BC_2, 239
Boron
crystallization processes in boron- and hydrogen-containing ultrafine powders, 295
electrical resistivity of SmB_6 thin films, L17
electronic structure of the new rare earth borocarbide Sc_2BC_2, 239
hydrogenation, disproportionation and desorption (HDD): an effective processing route for Nd–Fe–B-type magnets, 359
magnetic properties of $Nd_2Fe_{14-x-y}Re_xCo_yB$ alloys, 117
magnetism and crystallization of amorphous $Sc_2Fe_{14}B$, L45
structure and magnetic properties of Nd–Fe–B magnets produced by conventional and hydrogen decrepitation routes, 51
synthetic variant of Hulsit type: $Ni_{5.33}Sb_{0.67}B_2O_{10}$, 339
Bromine
Ba_2CuO_2I: a compound with a new structure type and a communication on Ba_2CuO_2Br with Ba_2CuO_2Cl structure, 311
molar enthalpy of formation of californium tribromide, 99
study of $Ba_2CuO_2Br_{0.5}I_{0.5}$, L33

Cadmium
calculation of thermodynamic properties and phase diagrams of the Cd–Pb–Sn ternary system, 81
on some RCdTl alloys (R = rare earth), L37
thermodynamic properties of cadmium selenide, 131
Caesium
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169
Californium
molar enthalpy of formation of californium tribromide, 99
Cerium
order–disorder transitions in Pd:Ce_x alloys at high hydrostatic pressures, 35
Chlorine
Ba_2CuO_2I: a compound with a new structure type and a communication on Ba_2CuO_2Br with Ba_2CuO_2Cl structure, 311
crystal structure of beryllium-dilithium dihydridodichloride $Li_2BeCl_2H_2$, L51

© Elsevier Sequoia/Printed in The Netherlands

Chromium
kinetics and mechanism of oxide formation on titanium, vanadium and chromium thin films, 251
structure refinement for Cr_2N, L9
Clusters
electronic structures of thorium and protactinium halide clusters of $[ThX_8]^{4-}$ type, 105
Cobalt
crystal structure and magnetic order of UCo_5, 287
crystallization processes in boron- and hydrogen-containing ultrafine powders, 295
magnetic properties of $Nd_2Fe_{14-x-y}Re_xCo_yB$ alloys, 117
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169
Cohesion
calculated cohesive properties of lanthanide and lanthanide-like actinide elements, 207
Cold fusion
search for "cold-fusion" in some Me–D systems at high pressures of gaseous deuterium, 347
Copper
Ba_2CuO_2I: a compound with a new stucture type and a communication on Ba_2CuO_2Br with Ba_2CuO_2Cl structure, 311
order twinning of AuCu II in the AuCu–3at.%Ag pseudobinary alloy, 301
study of $Ba_2CuO_2Br_{0.5}I_{0.5}$, L33
temperature and frequency dependence of initial permeability in Zr^{4+}-substituted Cu–Zn ferrites, 199
Crystal structure
crystal structure of beryllium-dilithium dihydridodichloride $Li_2BeCl_2H_2$, L51
Crystallization
crystallization processes in boron- and hydrogen-containing ultrafine powders, 295
magnetism and crystallization of amorphous $Sc_2Fe_{14}B$, L45

Debye temperature
neutron diffraction determination of the Debye temperature of $TmGa_{2-x}Al_x$ alloys ($x = 0, 0.5, 1.75$), 319
Decrepitation
structure and magnetic properties of Nd–Fe–B magnets produced by conventional and hydrogen decrepitation routes, 51
Deuterium
isotopic effects in Ni–Si–H(D) and Ni–V–H(D) systems, 177
search for "cold-fusion" in some Me–D systems at high pressures of gaseous deuterium, 347
vibrational and magnetic properties of $B–UD_3$, 267
Disproportionation
hydrogenation, disproportionation and desorption (HDD): an effective processing route for Nd–Fe–B)-type magnets, 359
Ductility
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors. II, 71
Dysprosium
hydrogen absorption studies on $Tb_{0.27}Dy_{0.73}Fe_{1.9}$, 153

Electrical resistivity
electrical resistivity of SmB_6 thin films, L17
Electronic structures
electronic structures of thorium and protactinium halide clusters of $[ThX_8]^{4-}$ type, 105
Erbium
rare earth sulphide oxides Ln_2S_2O (Ln = Er, Tm, Yb): high pressure synthesis and crystal structure, 137

Ferrites
temperatures and frequency dependence of initial permeability in Zr^{4+}-substituted Cu–Zn ferrites, 199
Fluorine
crystal structure of $Na_3Pb_2(BeF_4)_3F$, a fluoroberyllate with apatite structure, 123

Gallium
$MnGa_2Te_4$-II, a high pressure modification of digallium manganese tetratelluride, L27
neutron diffraction determination of the Debye temperature of $TmGa_{2-x}Al_x$ alloys ($x = 0, 0.5, 1.75$), 319
reaction kinetics for the high temperature oxidation of Pu–1wt.%Ga in water vapor, 221
study of the stoichiometry of intermediate phases in the system gallium–magnesium, 89

Gold
order twinning of AuCu II in the AuCu–3at.%Ag pseudobinary alloy, 301
Grain boundaries
diffusion of indium along [001] twist boundaries in tin: concentrational β–γ' phase transition on grain boundaries, 23

Heat treatment
effect of heat treatment on the microstructure and magnetic properties of niobium-containing (Nd, Dy)-(Fe, Co)-B sintered permanent magnets, 41
Hydrides
K_3PdH_3, hydride complexes with linear $[PdH_{2}^{2-}]$ groups, 163
influence of atmospheric CO_2 on the surface properties of Mg_2NiH_4 and a comparison with some hydrogen storage alloys, L1
Hydrogen absorption
hydrogen absorption studies on $Tb_{0.27}Dy_{0.73}Fe_{1.9}$, 153
Hydrogen storage alloys
influence of atmospheric CO_2 on the surface properties of Mg_2NiH_4 and a comparison with some hydrogen storage alloys, L1
Hydrogenation
hydrogenation, disproportionation and desorption (HDD): an effective processing route for Nd–Fe–B-type magnets, 359

Indium
diffusion of indium along [001] twist boundaries in tin: concentrational β–γ' phase transition on grain boundaries, 23
Interlayers
solid state bonding of silicon nitride with a nickel interlayer, 59
Iodine
Ba_2CuO_2I: a compound with a new structure type and a communication on Ba_2CuO_2Br with Ba_2CuO_2Cl structure, 311
study of $Ba_2CuO_2Br_{0.5}I_{0.5}$, L33
Iridium
phase transitions in $IrTi_{1+x}$, L11
Iron
hydrogen absorption studies on $Tb_{0.27}Dy_{0.73}Fe_{1.9}$, 153
new compounds with $Ba_6Ln_2M_4^{3+}O_{15}$ stoichiometry: $Ba_6Nd_2Fe_4O_{15}$, $Ba_5SrLa_2Fe_4O_{15}$ and $Ba_5SrNd_2Fe_4O_{15}$, 147
Isothermal annealing
conditions for reversible volume alterations in metallic glasses after isothermal annealing within the pre-crystallization temperatures range, 15

Lanthanide complexes
synthesis, physical and spectroscopic studies of oxamato (−1) lanthanide(III) complexes, 1
Lanthanides
calculated cohesive properties of lanthanide and lanthanide-like actinide elements, 207
Lanthanum
new compounds with $Ba_6Ln_2M_4^{3+}O_{15}$ stoichiometry: $Ba_6Nd_2Fe_4O_{15}$, $Ba_5SrLa_2Fe_4O_{15}$ and $Ba_5SrNd_2Fe_4O_{15}$, 147
Lead
calculation of thermodynamic properties and phase diagrams of the Cd–Pb–Sn ternary system, 81
crystal structure of $Na_3Pb_2(BeF_4)_3F$, a fluoroberyllate with apatite structure, 123
Lithium
crystal structure of beryllium-dilithium dihydridodichloride $Li_2BeCl_2H_2$, L51

Magnesium
influence of atmospheric CO_2 on the surface properties of Mg_2NiH_4 and a comparison with some hydrogen storage alloys, L1
study of the stoichiometry of intermediate phases in the system gallium–magnesium, 89
Magnetic order
crystal structure and magnetic order of UCo_5, 287
Magnetic properties
effect of heat treatment on the microstructure and magnetic properties of niobium-containing (Nd, Dy)-(Fe, Co)-B sintered permanent magnets, 41
magnetic properties of $Nd_2Fe_{14-x-y}Re_xCo_yB$ alloys, 117
magnetism and crystallization of amorphous $Sc_2Fe_{14}B$, L45
structure and magnetic properties of Nd–Fe–B magnets produced by conventional and hydrogen decrepitation routes, 51
vibrational and magnetic properties of B–UD_3, 267
Magnets
hydrogenation, disproportionation and desorption (HDD): an effective processing

route for Nd–Fe–B-type magnets, 359
structure and magnetic properties of Nd–Fe–B magnets produced by conventional and hydrogen decrepitation routes, 51
Manganese
$MnGa_2Te_4$-II, a high pressure modification of digallium manganese tetratelluride, L27
Metallic glasses
conditions for reversible volume alterations in metallic glasses after isothermal annealing within the pre-crystallization temperatures range, 15

Neodymium
hydrogenation, disproportionation and desorption (HDD): an effective processing route for Nd–Fe–B-type magnets, 359
magnetic properties of $Nd_2Fe_{14-x-y}Re_xCo_yB$ alloys, 117
new compounds with $Ba_6Ln_2M_4^{3+}O_{15}$ stoichiometry: $Ba_6Nd_2Fe_4O_{15}$, $Ba_5SrLa_2Fe_4O_{15}$ and $Ba_5SrNd_2Fe_4O_{15}$, 147
standard Gibbs free energy of formation of neodymium oxyfluoride and borates, 191
structure and magnetic properties of Nd–Fe–B magnets produced by conventional and hydrogen decrepitation routes, 51
Neutron diffraction
neutron diffraction determination of the Debye temperature of $TmGa_{2-x}Al_x$ alloys ($x = 0, 0.5, 1.75$), 319
Nickel
influence of atmospheric CO_2 on the surface properties of Mg_2NiH_4 and a comparison with some hydrogen storage alloys, L1
isotopic effects in Ni–Si–H(D) and Ni–V–H(D) systems, 177
solid state bonding of silicon nitride with a nickel interlayer, 59
synthetic variant of Hulsit type: $Ni_{5.33}Sb_{0.67}B_2O_{10}$, 339
Niobium
effect of heat treatment on the microstructure and magnetic properties of niobium-containing (Nd, Dy)-(Fe, Co)-B sintered permanent magnets, 41
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors. II, 71

Order twinning
order twinning of AuCu II in the AuCu–3at.%Ag pseudobinary alloy, 301
Order–disorder transitions
order–disorder transitions in $Pd:Ce_x$ alloys at high hydrostatic pressures, 35
Oxidation
reaction kinetics for the high temperature oxidation of Pu–1wt.%Ga in water vapor, 221
Oxide formation
kinetics and mechanism of oxide formation on titanium, vanadium and chromium thin films, 251

Palladium
K_3PdH_3, hydride complexes with linear $[PdH_{22}^-]$ groups, 163
order–disorder transitions in $Pd:Ce_x$ alloys at high hydrostatic pressures, 35
Pearson symbol
unifying the Pearson symbol in rhombohedral structure types, L41
Permeability
temperature and frequency dependence of initial permeability in Zr^{4+}-substituted Cu–Zn ferrites, 199
Phase diagrams
calculation of thermodynamic properties and phase diagrams of the Cd–Pd–Sn ternary system, 81
Phase transitions
diffusion of indium along [001] twist boundaries in tin: concentrational β–γ' phase transition on grain boundaries, 23
phase transitions in $IrTi_{1+x}$, L11
Plutonium
reaction kinetics for the high temperature oxidation of Pu–1wt.%Ga in water vapor, 221
Potassium
K_3PdH_3, hydride complexes with linear $[PdH_{22}^-]$ groups, 163
synthesis of $K_6Ti_2O_7$, 327
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169
Powders
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors. II, 71
Protactinium
electronic structures of thorium and protactinium halide clusters of $[ThX_6]^{4-}$ type, 105

Rare earths
electronic structure of the new rare earth borocarbide Sc_2BC_2, 239
on some RCdTl alloys (R = rare earth), L37
rare earth sulphide oxides Ln_2S_2O (Ln = Er, Tm, Yb): high pressure synthesis and crystal structure, 137
Reaction kinetics
reaction kinetics for the high temperature oxidation of Pu–1wt.%Ga in water vapor, 221
Rhombohedral structures
unifying the Pearson symbol in rhombohedral structure types, L41
Rubidium
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169

Samarium
electrical resistivity of SmB_6 thin films, L17
Sb_2Se_3–Sm_2Se_4 and $SmSb_4Se_7$–$SmSb_3Se_6$ systems, L53
Scandium
electronic structure of the new rare earth borocarbide Sc_2BC_2, 239
magnetism and crystallization of amorphous $Sc_2Fe_{14}B$, L45
Selenium
Sb_2Se_3–Sm_2Se_4 and $SmSb_4Se_7$–$SmSb_3Se_6$ systems, L53
thermodynamic properties of cadmium selenide, 131
Silicon
isotopic effects in Ni–Si–H(D) and Ni–V–H(D) systems, 177
Silicon nitride
solid state bonding of silicon nitride with a nickel interlayer, 59
Silver
order twinning of AuCu II in the AuCu–3at.%Ag pseudobinary alloy, 301
Sintered permanent magnets
effect of heat treatment on the microstructure and magnetic properties of niobium-containing (Nd, Dy)-(Fe, Co)-B sintered permanent magnets, 41
Sodium
crystal structure of $Na_3Pb_2(BeF_4)_3F$, a fluoroberyllate with apatite structure, 123
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169
Solid state bonding
solid state bonding of silicon nitride with a nickel interlayer, 59
Strontium
new compounds with $Ba_6Ln_2M_4^{3+}O_{15}$ stoichiometry: $Ba_6Nd_2Fe_4O_{15}$, $Ba_5SrLa_2Fe_4O_{15}$ and $Ba_5SrNd_2Fe_4O_{15}$, 147
Sulphide oxides
rare earth sulphide oxides Ln_2S_2O (Ln = Er, Tm, Yb): high pressure synthesis and crystal structure, 137
Sulphur
structure refinement of Tm_2S_3-IV, a defect-Th_3P_4-type high pressure modification of thulium sesquisulphide, L21
ternary cobalt chalcogenide A_2CoX_2 with A = Na, K, Rb, Cs and X = S, Se. Synthesis, structure and magnetic properties, 169
Superconductivity
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors II, 71

Tantalum
preparation and structure of $ThTa_2O_7$, 275
Tellurium
$MnGa_2Te_4$-II, a high pressure modification of digallium manganese tetratelluride, L27
Terbium
hydrogen absorption studies on $Tb_{0.27}Dy_{0.73}Fe_{1.9}$, 153
Thallium
on some RCdTl alloys (R = rare earth), L37
Thermodynamic properties
calculation of thermodynamic properties and phase diagrams of the Cd–Pb–Sn ternary system, 81
thermodynamic properties of cadmium selenide, 131
Thin films
electrical resistivity of SmB_6 thin films, L17
kinetics and mechanism of oxide formation on titanium, vanadium and chromium thin films, 251
Thorium
electronic structures of thorium and protactinium halide clusters of $[ThX_8]^{4-}$ type, 105
preparation and structure of $ThTa_2O_7$, 275
Thulium
neutron diffraction determination of the Debye temperature of $TmGa_{2-x}Al_x$ alloys ($x = 0, 0.5, 1.75$), 319
rare earth sulphide oxides Ln_2S_2O (Ln = Er,

Tm, Yb): high pressure synthesis and crystal structure, 137
structure refinement of Tm_2S_3-IV, a defect-Th_3P_4-type high pressure modification of thulium sesquisulphide, L21
Tin
calculation of thermodynamic properties and phase diagrams of the Cd–P–Sn ternary system, 81
diffusion of indium along [001] twist boundaries in tin: concentrational β–γ' phase transition on grain boundaries, 23
Titanium
kinetics and mechanism of oxide formation on titanium, vanadium and chromium thin films, 251
phase transitions on $IrTi_{1+x}$, L11
synthesis of $K_6Ti_2O_7$, 327
Twist boundaries
diffusion of indium along [001] twist boundaries in tin: concentrational β–γ' phase transition of grain boundaries, 23

Ultrafine powders
crystallization processes in boron- and hydrogen-containing ultrafine powders, 295
Uranium
crystal structure and magnetic order of UCo_5, 287
vibrational and magnetic properties of B–UD_3, 267

Vanadium
isotopic effects in Ni–Si–H(D) and Ni–V–H(D) systems, 177
kinetics and mechanism of oxide formation on titanium, vanadium and chromium thin films, 251

Ytterbium
rare earth sulphide oxides Ln_2S_2O (Ln = Er, Tm, Yb): high pressure synthesis and crystal structure, 137

Zinc
temperature and frequency dependence of initial permeability in Zr^{4+}-substituted Cu–Zn ferrites, 199
Zirconium
temperture and frequency dependence of initial permeability in Zr^{4+}-substituted Cu–Zn ferrites, 199